

AS 4687.3:2022



Temporary fencing and hoardings

Part 3: Temporary hoardings



AS 4687.3:2022

This Australian Standard ® was prepared by CE-008, Chainlink Fabric Security Fences and Gates. It was approved on behalf of the Council of Standards Australia on 8 June 2022.

This Standard was published on 24 June 2022.

The following are represented on Committee CE-008:

- Australasian Wind Engineering Society
- Australasian Wire Industry Association
- Australian Industry Group
- Australian Institute of Health and Safety
- Australian Security Industry Association
- Bureau of Steel Manufacturers of Australia
- Civil Contractors Federation
- Consult Australia
- Engineers Australia
- Galvanizers Association of Australia
- Hire and Rental Industry Association of Australia
- National Association of Testing Authorities Australia
- Swimming Pool and Spa Association of Australia
- Temporary Fencing Association of Australia

This Standard was issued in draft form for comment as DR AS 4687.3:2021.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 846 1

Temporary fencing and hoardings

Part 3: Temporary hoardings

Originated as AS 4687—2007.
Revised in part and redesignated as AS 4687.3:2022.

© Standards Australia Limited 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee CE-008, Chainlink Fabric Security Fences and Gates, to supersede AS 4687:2007, *Temporary fencing and hoardings*.

The objective of this document is to establish minimum requirements for the design, performance, construction and installation of temporary hoardings in order to provide protection to the public.

The major changes in this edition are as follows:

- (a) The separation of requirements for temporary fencing and hoardings. The definition of temporary hoardings has also been expanded to include two types.
- (b) Additional guidance has been provided for determination of wind actions.
- (c) The test methods set out in AS 4687:2007 have been elaborated upon.
- (d) Where the previous edition was a performance testing standard, this revision provides alternative ways to achieve conformance, adding a design analysis approach.
- (e) Division of the previous edition of the Standard into a series of four Standards comprising the following:
 - (i) AS 4687.1: *Temporary fencing and hoardings, Part 1: General requirements*.
 - (ii) AS 4687.2: *Temporary fencing and hoardings, Part 2: Temporary fencing and temporary pedestrian barriers*.
 - (iii) AS 4687.3: *Temporary fencing and hoardings, Part 3: Temporary hoardings*.
 - (iv) AS 4687.4: *Temporary fencing and hoardings, Part 4: Temporary swimming pool fencing*.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope	1
1.2 Normative references	1
1.3 Terms and definitions	1
Section 2 General requirements	3
2.1 General	3
2.2 Temporary hoarding systems	3
2.3 Site-specific constructed temporary hoardings	3
2.4 Escaping materials	3
2.5 Temporary hoarding infill rigidity performance	3
2.6 Stability	3
2.7 Doors and gates	4
2.8 Additional accessories	4
Section 3 Conformance	5
3.1 General	5
3.2 Design analysis	5
3.3 Testing	5
Section 4 Installation, modification or relocation	6
4.1 Systems	6
4.1.1 Re-usability	6
4.2 Site-specific constructed temporary hoardings	6
4.3 Stacking and storage	6
4.4 Duration of installation	6
4.5 Risk to public safety including importance level	6
Appendix A (normative) Simulated climbing test for temporary hoardings	7
Appendix B (normative) Impact test for temporary hoardings	9
Appendix C (normative) Simulated wind test for temporary hoardings	13
Bibliography	17

NOTES

Australian Standard®

Temporary fencing and hoardings

Part 3: Temporary hoardings

Section 1 Scope and general

1.1 Scope

This document establishes minimum requirements for the design, performance, construction and installation of temporary hoardings in order to provide protection to the public.

Temporary hoardings are used to —

- (a) provide a visual barrier;
- (b) restrict the access of unauthorized persons to worksites, events and restricted areas;
- (c) contain equipment and materials;
- (d) prevent operations within the area from impacting outside of it; and
- (e) prevent materials, rubbish and debris from escaping the worksite.

1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents for informative purposes are listed in the Bibliography.

AS 4687.1, *Temporary fences and hoardings, Part 1: General requirements*

1.3 Terms and definitions

For the purposes of this document, the terms and definitions given in AS 4687.1, AS 4687.2 and the following apply.

1.3.1

external environment

exposed to the elements

Note 1 to entry: External environments may be applicable even if a temporary barrier is sheltered or shielded by an engineered structure, but where an unobstructed path of egress may be available. In such cases, the external environmental influences on the temporary hoarding are to be assessed.

1.3.2

temporary hoarding system

temporary hoarding made up of modular components, or repeatable methods, which have been designed or tested to a range of actions, so that it can be applied to a range of environments

Note 1 to entry: A temporary hoarding system may include a set of designed and repeatable installation methods using defined materials, constructed and secured on a specific site.

Note 2 to entry: A “site specific construction temporary hoarding” is only triggered if the situation encountered is outside the scope of application of the repeatable method.