

Laboratory Screening Test to Determine the Ability of Scale Inhibitors to Prevent the Precipitation of Barium Sulfate or Strontium Sulfate, or Both, from Solution (for Oil and Gas Production Systems)

Laboratory Screening Test to Determine the Ability of Scale Inhibitors to Prevent the Precipitation of Barium Sulfate or Strontium Sulfate, or Both, from Solution (for Oil and Gas Production Systems)

This AMPP standard represents a consensus of those individual members who have reviewed this document, its scope, and provisions. Its acceptance does not in any respect preclude anyone, whether he or she has adopted the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in conformance with this standard. Nothing contained in this AMPP standard is to be construed as granting any right, by implication or otherwise, to manufacture, sell, or use in connection with any method, apparatus, or product covered by Letters Patent, or as indemnifying or protecting anyone against liability for infringement of Letters Patent. This standard represents minimum requirements and should in no way be interpreted as a restriction on the use of better procedures or materials. Neither is this standard intended to apply in all cases relating to the subject. Unpredictable circumstances may negate the usefulness of this standard in specific instances. AMPP assumes no responsibility for the interpretation or use of this standard by other parties and accepts responsibility for only those official AMPP interpretations issued by AMPP in accordance with its governing procedures and policies which preclude the issuance of interpretations by individual volunteers.

Users of this AMPP standard are responsible for reviewing appropriate health, safety, environmental, and regulatory documents and for determining their applicability in relation to this standard prior to its use. This AMPP standard may not necessarily address all potential health and safety problems or environmental hazards associated with the use of materials, equipment, and/or operations detailed or referred to within this standard. Users of this AMPP standard are also responsible for establishing appropriate health, safety, and environmental protection practices, in consultation with appropriate regulatory authorities, if necessary, to achieve compliance with any existing applicable regulatory requirements prior to the use of this standard.

CAUTIONARY NOTICE: AMPP standards are subject to periodic review and may be revised or withdrawn at any time in accordance with AMPP technical committee procedures. AMPP requires that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of initial publication and subsequently from the date of each reaffirmation or revision. The user is cautioned to obtain the latest edition. Purchasers of AMPP standards may receive current information on all standards and other AMPP/NACE/SSPC publications by contacting AMPP Customer Support, 15835 Park Ten Place, Houston, Texas 77084-5145 (Tel: +1 281-228-6200, email: customersupport@ampp.org).

Document History

2022-08-08: Revised by AMPP Standards Committee (SC) 20, "Internal Corrosion Management"

January 2019: Revised by NACE Task Group (TG) 383, "Scale Inhibitor Evaluation in Oil and Gas Production"

2010-10-22: Revised by NACE TG 383, "Scale Inhibitor Evaluation in Oil and Gas Production"

2002-04-11: Reaffirmed by NACE Specific Technology Group 31,
"Oil and Gas Production—Corrosion and Scale Inhibition"

1997-06-27: Approved as TM0197 by NACE Work Group T-1D-36a,
"Scale Inhibitor Evaluation in Oil and Gas Production."

AMPP values your input. To provide feedback on this standard, please contact: standards@ampp.org

NACE TM0197-2022

©2022 Association for Materials Protection and Performance (AMPP). All rights reserved.

Laboratory Screening Test to Determine the Ability of Scale Inhibitors to Prevent the Precipitation of Barium Sulfate or Strontium Sulfate, or Both, from Solution (for Oil and Gas Production Systems)

Section 1	General	5
Section 2	Test Equipment	5
Section 3	Reagents.....	6
Section 4	Preparation of Test Solutions	6
Section 5	Test Procedure	7
Section 6	Calculation and Reporting of Test Results	8
References	9
Appendix A	Sample Stabilization and Analysis (Nonmandatory)	10

Foreword

Mineral scale may be defined as an adherent deposit of predominantly inorganic compounds. A common process leading to scale formation is the precipitation of sparingly soluble salts from oilfield brines. Some oilfield brines contain sufficient sulfate ions (SO_4^{2-}) in the presence of barium ions (Ba^{2+}) or strontium ions (Sr^{2+}), or both, that the potential for forming barium sulfate (BaSO_4) scale or strontium sulfate (SrSO_4) scale, or both, exists due to changes in physical or chemical conditions. Often the formation of scale results in reduced production and increased maintenance costs. In some locations, naturally occurring radioactive materials (NORM) have been found to incorporate themselves into the scale. This complication may result in significant health, safety, and liability concerns and increased scale disposal costs.

Removal of scale after it has formed is particularly difficult when BaSO_4 and SrSO_4 are involved. Therefore, oil and gas producers most often use treatment chemicals to inhibit precipitation of these scales and reduce their tendency to adhere to surfaces. The choice of the best scale inhibitor for a given application often follows a lengthy testing program. The program typically begins with the collection of potentially useful products and then evaluation of them through a screening process in the laboratory to determine whether specific products or classes of products perform better than others.

Scope

NACE Standard TM0374¹ addresses only the screening of CaSO_4 and CaCO_3 scale inhibitors. By contrast, this standard test method is intended to provide the user with a relative and quantitative measure of the ability of scale inhibitors to prevent (1) the formation and (2) the precipitation of solid BaSO_4 or SrSO_4 , or both, which are necessary and critical stages in scale deposition. The laboratory screening procedure described in this standard may not allow for the simulation of all oilfield system variables. It must be regarded only as a starting point in the evaluation of scale inhibitors. The procedure standardizes the collection of screening test results to facilitate discussion of the results by interested parties. No attempt has been made to define the test brine composition, test temperature, or test duration. Users of this standard must agree on these and other critical parameters to facilitate comparison of test results.

Rationale

This standard is intended for use by skilled laboratory personnel who have previously performed similar tests.

In AMPP standards, the terms *shall* and *must* are used to state requirements and are considered mandatory. The term *should* is used to state something that is recommended, but is not considered mandatory. The term *may* is used to state something considered optional.