

Australian Standard™

Electroacoustics—Sound level meters

Part 1: Specifications

This Australian Standard was prepared by Committee AV-002, Acoustics—Instrumentation and Measurement Techniques. It was approved on behalf of the Council of Standards Australia on 3 February 2004 and published on 7 April 2004.

The following are represented on Committee AV-002:

AirServices Australian
Association of Consulting Engineers Australia
Australian Acoustical Society
CSIRO Manufacturing & Infrastructure Technology
CSIRO National Measurement Laboratory
CSIRO Telecommunications and Industrial Physics
Institute of Electrical & Electronics Engineers Victorian Section
National Acoustic Laboratories
National Association of Testing Authorities Australia
National Environment Protection Council
New Zealand Acoustical Society
WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 03572.

Australian Standard™

Electroacoustics—Sound level meters

Part 1: Specifications

Originated as AS Z37—1967 and AS Z38—1967.
Previous edition AS 1259.1—1990 and AS 1259.2—1990.
AS 1259.1—1990 and AS 1259.2—1990 revised, amalgamated and
redesignated in part as AS IEC 61672.1—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5786 3

PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee AV-002, Acoustics—Instrumentation and Measurement Techniques. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard, rather than an Australian/New Zealand Standard.

This Standard supersedes in part AS 1259.1—1990, *Sound level meters, Part 1: Non-integrating* and AS 1259.2—1990, *Acoustics—Sound level meters, Part 2: Integrating—Averaging*

This Standard is identical with and has been reproduced from IEC 61672.1, *Electroacoustics—Sound level meters, Part 1: Specifications*.

The objective of this Standard is to give electroacoustical performance specifications of sound level meters.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover title page.
- (b) A full point substitutes for a comma when referring to a decimal marker.

This Standard provides for the use of the following Australian and Australian/New Zealand Standards as equivalent to particular International Standards reference herein:

<i>Reference to International Standard</i>		<i>Australian Standard</i>	
IEC		AS IEC	
60942	Electroacoustics—Sound calibrators	60942	Electroacoustics—Sound calibrators
61000	Electromagnetic compatibility (EMC)	61000	Electromagnetic compatibility (EMC)
61000-4-2	Part 4-2: Testing and measuring techniques—Electrostatic discharges immunity tests	61000.4.2	Part 4.2: Testing and measuring techniques—Electrostatic discharges immunity tests
61000-6-2	Part 6-2: Generic standards—Immunity for industrial equipment	61000.6.2	Part 6.2: Generic standards—Immunity for industrial equipment

Any International Standard not listed has not been adopted as an Australian Standards.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the annex to which they apply. A ‘normative’ annex is an integral part of a Standard, whereas an ‘informative’ annex is only for information and guidance.

CONTENTS

1	Scope.....	1
2	Normative references	2
3	Terms and definitions	2
4	Reference environmental conditions	7
5	Performance specifications.....	7
5.1	General	7
5.2	Adjustments to indicated levels	10
5.3	Directional response.....	11
5.4	Frequency weightings.....	12
5.5	Level linearity.....	16
5.6	Self-generated noise	17
5.7	Time weightings F and S	17
5.8	Toneburst response.....	18
5.9	Response to repeated tonebursts	20
5.10	Overload indication	20
5.11	Under-range indication	21
5.12	Peak C sound level	21
5.13	Reset	22
5.14	Thresholds	22
5.15	Display.....	22
5.16	Analogue or digital output.....	23
5.17	Timing facilities	23
5.18	Radio frequency emissions and disturbances to a public power supply.....	23
5.19	Crosstalk	24
5.20	Power supply.....	24
6	Environmental, electrostatic, and radio frequency criteria	25
6.1	General	25
6.2	Static pressure	25
6.3	Air temperature	25
6.4	Humidity.....	26
6.5	Electrostatic discharge	26
6.6	AC power frequency and radio frequency fields.....	26
7	Provision for use with auxiliary devices	28
8	Marking	28
9	Instruction manual	29
	Annex A (normative) Maximum expanded uncertainties of measurement	34
	Annex B (informative) AU weighting.....	35
	Annex C (informative) Specifications for time-weighting I (impulse).....	36
	Bibliography.....	39

AUSTRALIAN STANDARD

Electroacoustics—Sound level meters

Part 1:

Specifications

1 Scope

1.1 This standard gives electroacoustical performance specifications for three kinds of sound measuring instruments:

- a conventional sound level meter that measures exponential time-weighted sound level;
- an integrating-averaging sound level meter that measures time-average sound level; and
- an integrating sound level meter that measures sound exposure level.

A single instrument may make any, or all, of the three kinds of measurements. Additional performance specifications are given for the measurement of maximum time-weighted sound level and peak C sound level. Frequency-weighting A is mandatory for all sound level meters specified in this standard.

1.2 Sound level meters conforming to the requirements of this standard have a specified frequency response for sound incident on the microphone from one principal direction in an acoustic free field or from random directions.

1.3 Sound level meters specified in this standard are intended to measure sounds generally in the range of human hearing.

NOTE For measurement of audible sound in the presence of ultrasound, the AU weighting, specified in IEC 61012 [1], may be applied.¹

1.4 Two performance categories, class 1 and class 2, are specified in this standard. In general, specifications for class 1 and class 2 sound level meters have the same design goals and differ mainly in the tolerance limits and the range of operational temperatures. Tolerance limits for class 2 specifications are greater than, or equal to, those for class 1 specifications.

1.5 This standard is applicable to a range of designs for sound level meters. A sound level meter may be a self-contained hand-held instrument with an attached microphone and a built-in display device. A sound level meter may be comprised of separate components in one or more enclosures and may be capable of displaying a variety of acoustical signal levels. Sound level meters may include extensive analogue or digital signal processing, separately or in combination, with multiple analogue and digital outputs. Sound level meters may include general-purpose computers, recorders, printers, and other devices that form a necessary part of the complete instrument.

¹ Numbers in square brackets refer to the bibliography.